

Package: HIViz (via r-universe)

May 19, 2026

Type Package

Title Interactive Dashboard for 'HIV' Data Visualization

Version 0.1.2

Description An interactive 'Shiny' dashboard for visualizing and exploring key metrics related to HIV/AIDS, including prevalence, incidence, mortality, and treatment coverage. The dashboard is designed to work with a dataset containing specific columns with standardized names. These columns must be present in the input data for the app to function properly: year: Numeric year of the data (e.g. 2010, 2021); sex: Gender classification (e.g. Male, Female); age_group: Age bracket (e.g. 15–24, 25–34); hiv_prevalence: Estimated HIV prevalence percentage; hiv_incidence: Number of new HIV cases per year; aids_deaths: Total AIDS-related deaths; plhiv: Estimated number of people living with HIV; art_coverage: Percentage receiving antiretroviral therapy (ART); testing_coverage: HIV testing services coverage; causes: Description of likely HIV transmission cause (e.g. unprotected sex, drug use). The dataset structure must strictly follow this column naming convention for the dashboard to render correctly.

Depends R(>= 3.5.0)

VignetteBuilder knitr

Suggests testthat (>= 3.0.0), knitr, rmarkdown

License GPL-3

Encoding UTF-8

LazyData true

Imports shiny (>= 1.7.0), shinydashboard, readxl, haven, dplyr, DT, ggplot2, plotly, tidyr, wordcloud, ggrepel, paletteer, shinyWidgets, tools

RoxygenNote 7.3.2

Roxygen list(markdown = TRUE)

URL <https://github.com/Atefehrashidi/HIViz>

BugReports <https://github.com/Atefehrashidi/HIViz/issues>

Config/testthat/edition 3

Config/pak/sysreqs cmake make libicu-dev libuv1-dev libssl-dev libx11-dev zlib1g-dev

Repository <https://atfehrashidi.r-universe.dev>

Date/Publication 2025-11-20 06:23:03 UTC

RemoteUrl <https://github.com/atefehrashidi/hiviz>

RemoteRef HEAD

RemoteSha a035b4c7c5269e489001f825fba9dcf3c64e9234

Contents

launchApp	2
sample_data	3
Index	4

launchApp	<i>Launch the HIViz Shiny App</i>
-----------	-----------------------------------

Description

This function launches the Shiny application.

Usage

```
launchApp()
```

Value

Invisible NULL. Called for its side effects (launches the Shiny application in the default browser).

Examples

```
if (interactive()) {
  HIViz::launchApp()
}
```

`sample_data`*Sample HIV Epidemiology Dataset*

Description

A small sample dataset for demonstrating the HIViz dashboard.

Usage`sample_data`**Format**

A data frame with 3 rows and 10 variables:

country e.g., Iran, Spain

year Numeric year

sex Gender (Male, Female)

age_group Age group (e.g., "15–24")

hiv_prevalence % Prevalence

hiv_incidence New cases

aids_deaths AIDS deaths

plhiv People living with HIV

art_coverage % ART coverage

testing_coverage % Testing coverage

causes Cause of transmission

Index

* **datasets**

sample_data, 3

launchApp, 2

sample_data, 3